

## **IDEALSEAL MS290 MS POLYMER BLACK** SAFETY DATA SHEET

**IDEALSEAL MS290 MS POLYMER BLACK** 

Revision date 20-10-2022 Supercedes Date: 28-12-2021 **Revision Number** 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Product Name** IDEALSEAL MS290 MS POLYMER BLACK

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.

Not to be used in production of toys or childcare articles Uses advised against

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** 

Ideal Sealants Ltd

Unit D5 Taylor Business Park, Risley, Warrington, Cheshire, UK, WA3 6BL

Tel: 01925 765934

info@idealsealants.com E-mail address

#### 1.4. Emergency telephone number

**United Kingdom** 111

**NPIC - National Poison Information Centre** Ireland

Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week)

Healthcare Professionals: +353 (01) 8092566 (24 hour service)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine &

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction EUH210 - Safety data sheet available on request

#### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

United Kingdom - BE Page 1 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021

•

Revision date 20-10-2022

Revision Number 1

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1- <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1 - <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)		01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-000020199- 67-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne	221-336-6	3069-29-2	0.1 - <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)		01-2119963926- 21-xxxx

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a doctor.

United Kingdom - BE Page 2 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

\_\_\_

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

**Ingestion** Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by

mouth to an unconscious person. Small amounts of toxic methanol are released by

Revision date 20-10-2022

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors

Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment**Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

United Kingdom - BE Page 3 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Revision date 20-10-2022

\_\_\_

#### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

#### 7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Diisononyl phthalate 28553-12-0		TWA: 5 mg/m³ STEL: 15 mg/m³
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> *	TWA: 200 ppm TWA: 266 mg/m³ STEL: 250 ppm STEL: 333 mg/m³ Sk*
Carbon black 1333-86-4	•	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>
Dioctyltinbis(acetylacetonate) 54068-28-9	•	TWA: 0.1 mg/m³ Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects	Inhalation	27,6 mg/m <sup>3</sup>		

United Kingdom - BE Page 4 / 13

IDEALSEAL MS290 SEALANT 290ML BLACK

Revision date 20-10-2022 Supercedes Date: 28-Dec-2021 **Revision Number** 1

Long term			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	35.5 mg/m³		
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d		

Dioctyltinbis(acetylacetonate)	Dioctyltinbis(acetylacetonate) (54068-28-9)						
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d					
Long term Systemic health effects worker	Inhalation	84 mg/m³					
Short term Systemic health effects worker	Inhalation	84 mg/m³					
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³					

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)							
Туре		Exposure route		Derived No E (DNEL)	ffect Level	Safety factor	
worker Long term Systemic health effects		Inhalation		12 mg/m <sup>3</sup>			
worker Long term Systemic health effects		Dermal		1.7 mg/kg bw	//d		

Derived No Effect Level (DNI	EL)					
Trimethoxyvinylsilane (2768-	Trimethoxyvinylsilane (2768-02-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³				
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d				
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d				

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре			Safety factor		
		(DNEL)			

United Kingdom - BE Page 5 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Revision date 20-10-2022

		_	
Consumer	Oral	2.5 mg/kg bw/d	
Systemic health effects			
Long term			
Consumer	Inhalation	8.7 mg/m <sup>3</sup>	
Systemic health effects			
Long term			
Consumer	Dermal	2.5 mg/kg bw/d	
Systemic health effects			
Long term			

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m <sup>3</sup>			
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d			
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d			

# Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)				
Trimethoxyvinylsilane (2768-02-7)				
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater		0.34 mg/l		
Marine water		0.034 mg/l		
Microorganisms in sewage treatment		110 mg/l		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Environmental compartment		Predicted No Effect Concentration (PNEC)		
Freshwater		0.062 mg/l		
Marine water		0.0062 mg/l		
Sewage treatment plant		25 mg/l		

Dioctyltinbis(acetylacetonate) (54068-28-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	26 μg/l
Marine water	2.6 μg/l
Freshwater - intermittent	260 μg/l
Sewage treatment plant	1 mg/l
Freshwater sediment	0.155 mg/kg dry weight
Marine sediment	0.0155 mg/kg dry weight
Soil	0.0158 mg/kg dry weight

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.062 mg/l	
Marine water	0.006 mg/l	
Sewage treatment plant	25 mg/l	
Freshwater sediment	0.24 mg/kg dry weight	
Marine sediment	0.024 mg/kg dry weight	
Soil	0.01 mg/kg dry weight	

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

United Kingdom - BE Page 6 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

**Hand protection** Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

Revision date 20-10-2022

gloves. Gloves must conform to standard EN 374

**Skin and body protection** None under normal use conditions.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour White
Odour Characteristic

Odour threshold No information available

Property Values Remarks • Method

pH

pH (as aqueous solution)

Melting point / freezing point

Initial boiling point and boiling

No data available
No data available

range

Flash point > 60 °C
Evaporation rate
Flammability

Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure
Relative vapour density
Relative density
No data available
No data available
No data available

Water solubility Product cures with moisture

Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity > 21 mm<sup>2</sup>/s **Dynamic viscosity** No data available **Explosive properties** No data available **Oxidising properties** No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%)

**Density** 1.58 g/cm<sup>3</sup>

United Kingdom - BE Page 7/13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

products

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

Revision date 20-10-2022

Revision Number 1

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are **Hazardous decomposition** 

formed by hydrolysis and released upon curing.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Information on likely routes of exposure

**Product Information** 

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Numerical measures of toxicity

### Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

United Kingdom - BE Page 8 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

ATEmix (inhalation-vapour) 832.70 mg/l

#### **Component Information**

Supercedes Date: 28-12-2021

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403	
N-(3-(trimethoxysilyl)propyl)eth ylenediamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air	
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h	
N-[3-(Dimethoxymethylsilyl)pro pyl]-ethylenediamine 3069-29-2	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	> 5.2 mg/L (Rat)4 h	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No

classification is proposed, based on conclusive negative data. May cause sensitisation in

Revision date 20-10-2022

Revision Number 1

susceptible persons.

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

United Kingdom - BE Page 9/13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Revision date 20-10-2022

**Endocrine disrupting properties** 

11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		
onate)		mg/L (Static)		=58.6 mg/L		
54068-28-9				(Daphnia		
				magna)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method		Exposure time		Value	Results
OECD Test No. 301F:	Ready	28 days		BOD	51 % Not readily
Biodegradability: Mano	metric				biodegradable
Respirometry Test (TG	301 F)				

### 12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane	1.1	-
2768-02-7		
N-(3-(trimethoxysilyl)propyl)ethylenediami	-0.3	-
ne		
1760-24-3		

#### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

United Kingdom - BE Page 10 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Revision date 20-10-2022

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane 2768-02-7	The substance is not PBT / vPvB
	The substance is not DDT (v.D.D.
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate) 54068-28-9	The substance is not PBT / vPvB
N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine 3069-29-2	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

Other adverse effects No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1UN number or ID numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

IMDG

14.1 UN number or ID number
14.2 Proper Shipping Name
14.3 Transport hazard class(es)
14.4 Packing group

Not regulated
Not regulated
Not regulated
Not regulated

14.5 Marine pollutant NP14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated

United Kingdom - BE Page 11 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Revision date 20-10-2022 Supercedes Date: 28-12-2021 Revision Number 1

14.5 Environmental hazards Not applicable

14.6 Special Provisions None

### Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH
		Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex
	Number
Dioctyltinbis(acetylacetonate)	I.1

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

#### 15.2. Chemical safety assessment

United Kingdom - BE Page 12 / 13

**IDEALSEAL MS290 MS POLYMER BLACK** 

Supercedes Date: 28-12-2021 Revision Number 1

Revision date 20-10-2022

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351i - Suspected of causing cancer if inhaled

H371 - May cause damage to organs

Legend

TWA (time-weighted average)
STEL (Short Term Exposure Limit)

Ceiling Limit Value

\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

#### Key literature references and sources for data

No information available

Prepared By Technical Department

Revision date 20-10-2022

**Indication of changes** 

Revision note Not applicable.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 13 / 13